




Manufacturer of pneumatic impact tools and hydraulic tools for mines, quarries, construction industry, steelworks and foundries.

TECHNICKÉ ÚDAJE – TECHNISCHE DATEN – TECHNICAL DATA



VKP 5W DHD350 Down-The-Hole Hammer

APPLICATION

VKP5[®] DHD W Down-The-Hole hammer is designed for drilling deep holes in low to high strength materials, particularly for blasting operations in quarries.

Maximum depth of a borehole is determined by the potential of the drilling rig and, critically, the ability to flush out bore dust which changes with the material drilled, diameter of the hole, operating air pressure and drill bit used.

The hammer can drill in saturated borehole environments as well as completely underwater. With foam or water flushing, the hammer may also be used in closed areas such as an underground mine.

Technické údaje – Technische data – Technical data	ISO	VKP 5W DHD 350
Váha – Gewicht – Weight	kg	72
Délka (bez korunky) – Länge (kein Bit) – Length (less bit)	mm	1 170
Vnější průměr – Außendurchmesser – Outer diameter	mm	125
Váha pístu – Kolbengewicht – Piston weight	kg	17,6
Zdvih – Kolbenhub – Stroke	mm	145
Spotřeba vzduchu – Luftverbrauch – Air consumption hodnoty při – values at – Werte bei 10.3 / 17.2 / 24.1 bar	m ³ .min ⁻¹	9,0 / 17,0 / 24,2
Vrtací korunka – Bohrmeißel – Drilling bit		DHD350 5 3/8" ~ 6 1/8" Ø135 ~ Ø155
Připojovací závit – Anschlussgewinde – Connecting Thread		3 1/2" A.P.I Reg Pin
Objednací číslo - Bestellnummer - Ordering code		9550-390

www.permon.cz

e-mail : prodej@permon.cz

e-mail : export@permon.cz

Roztoky 217, 270 23 Křivoklát, Česká republika

for the Czech Rep. and SK

for other territories

v:06.2020

T: + 420 313 521 567

T: + 420 313 521 563